



Natural gas storage water heaters: energy factor ≥ 0.67

Rebates for your business

Download the rebate application at nicorgas.com/apply for eligibility requirements and program terms and conditions.

Offerings and availability of funding are subject to change. To ensure eligibility, please use the most current qualifying products list available at nicorgas.com/bizrebates

The Nicor Gas Energy Efficiency Program is a multi-year program funded by Nicor Gas customers in compliance with Illinois law.

Manufacturer	Model Name	Energy Factor	Input Rate (kBtu/hr)
American	PVG62-40S40-PVS 2*1	180.525	40000.000
A. O. Smith	G6C-PVS5040NV	0.7	40000.000
A. O. Smith	GPDL 40 T25 200	0.71	40000.000
A. O. Smith	GPDL 40 T25 201	0.71	40000.000
A. O. Smith	GPDT 50 T25 200	0.7	45000.000
A. O. Smith	GPDT 50 T25 201	0.7	45000.000
A. O. Smith	GPDX 50L T25 200	0.71	62000.000
A. O. Smith	GPDX 50L T25 201	0.71	62000.000
A. O. Smith	GPVL-40 2*1	180.525	40000.000
A. O. Smith	GPVL 40 T25 200	0.7	40000.000
A. O. Smith	GPVL 40 T25 201	0.7	40000.000
A. O. Smith	GPVL 50 T25 200	0.7	40000.000
A. O. Smith	GPVL 50 T25 201	0.7	40000.000
A. O. Smith	GPVT 40 T25 200	0.7	50000.000
A. O. Smith	GPVT 40 T25 201	0.7	50000.000
A. O. Smith	GPVT 50 T25 200	0.7	50000.000
A. O. Smith	GPVT 50 T25 201	0.7	50000.000
A. O. Smith	GPVX 50L T25 200	0.7	62000.000
A. O. Smith	GPVX 50L T25 201	0.7	62000.000
A.O. Smith	GPDL 40 T25 30*	0.71	40000.000
A.O. Smith	GPDT 50 T25 30*	0.7	45000.000
A.O. Smith	GPDX 50L T25 30*	0.71	62000.000
Best Canadian	GG40-38LFD-N1U	0.68	38000.000
Best Canadian	GG40-38LFPV2-P2U	0.67	38000.000

Manufacturer	Model Name	Energy Factor	Input Rate (kBtu/hr)
Best Canadian	GG40-38TFPDV1-N2U	0.67	38000.000
Best Canadian	GG40-40LFPV2-N2U	0.67	40000.000
Best Canadian	GG50-38LFPV2-P2U	0.67	38000.000
Best Canadian	GG50-38TFPDV1-N2U	0.67	38000.000
Best Canadian	GG50-40LFD-N1U	0.68	40000.000
Best Canadian	GG50-40LFPV2-N2U	0.67	40000.000
Best Canadian	GG50-58LFPV1-P2U	0.7	58000.000
Best Canadian	GG50-62LFPDV1-N2U	0.69	62000.000
Best Canadian	GG50-62LFPDV1-P2U	0.69	62000.000
Best Canadian	GG50-62LFPV1-N2U	0.7	62000.000
Bradford White	RG1PV40S*X19	266.958	40000.000
Bradford White	RG1PV50S*X19	264.770	40000.000
Bradford White	RG2PV40S*X19	252.735	40000.000
Bradford White	RG2PV40T*X19	256.018	40000.000
Bradford White	RG2PV50H*N	234.136	65000.000
Bradford White	RG2PV50H*X	234.136	58000.000
Bradford White	RG2PV50S*N	245.077	40000.000
Bradford White	RG2PV50S*X19	253.829	40000.000
Bradford White	RG2PV50T*X19	252.735	40000.000
Bradford White	URG2PDV50H*N	240.700	50000.000
EcoSense	ECORHE40SP	224.289	36000.000
EcoSense	ECORHE50	204.595	40000.000
EcoSense	ECORHE50P	224.289	36000.000
Giant	UG40-38LFD-N1U	239.606	38000.000
Giant	UG40-38LFD-N1U-US	239.606	38000.000
Giant	UG40-38LFPV1-P2U	490.153	38000.000
Giant	UG40-38LFPV1-P2U-US	490.153	38000.000
Giant	UG40-38LFPV2-P2U	490.153	38000.000
Giant	UG40-38LFPV2-P2U-US	490.153	38000.000
Giant	UG40-38TFPDV1-N2U	242.888	38000.000
Giant	UG40-38TFPDV1-N2U-US	242.888	38000.000
Giant	UG40-38TFPDV-N2U	242.888	38000.000
Giant	UG40-38TFPDV-N2U-US	242.888	38000.000
Giant	UG40-40LFPV1-N2U	241.794	40000.000
Giant	UG40-40LFPV1-N2U-US	241.794	40000.000
Giant	UG40-40LFPV2-N2U	241.794	40000.000
Giant	UG40-40LFPV2-N2U-US	241.794	40000.000
Giant	UG50-38LFPV1-P2U	265.864	38000.000
Giant	UG50-38LFPV1-P2U-US	265.864	38000.000
Giant	UG50-38LFPV2-P2U	265.864	38000.000
Giant	UG50-38LFPV2-P2U-US	265.864	38000.000
Giant	UG50-38TFPDV1-N2U	241.794	38000.000
Giant	UG50-38TFPDV1-N2U-US	241.794	38000.000
Giant	UG50-38TFPDV-N2U	241.794	38000.000
Giant	UG50-38TFPDV-N2U-US	241.794	38000.000
Giant	UG50-40LFD-N1U	238.512	40000.000
Giant	UG50-40LFD-N1U-US	238.512	40000.000
Giant	UG50-40LFPV1-N2U	293.217	40000.000
Giant	UG50-40LFPV1-N2U-US	293.217	40000.000
Giant	UG50-40LFPV2-N2U	293.217	40000.000
Giant	UG50-40LFPV2-N2U-US	293.217	40000.000

Manufacturer	Model Name	Energy Factor	Input Rate (kBtu/hr)
Giant	UG50-58LFPV1-P2U	252.735	58000.000
Giant	UG50-58LFPV1-P2U-US	252.735	58000.000
Giant	UG50-62LFPDV1-N2U	234.136	62000.000
Giant	UG50-62LFPDV1-N2U-US	234.136	62000.000
Giant	UG50-62LFPDV1-P2U	253.829	62000.000
Giant	UG50-62LFPDV1-P2U-US	253.829	62000.000
Giant	UG50-62LFPV1-N2U	231.947	62000.000
Giant	UG50-62LFPV1-N2U-US	231.947	62000.000
GSW	G640S40N-PDV-ES2 30*	0.71	40000.000
GSW	G640S40N-PDVR-ES2 30*	0.71	40000.000
GSW	G640S40N-PV-ES2	0.7	40000.000
GSW	G640S40P-PV-ES2	0.7	40000.000
GSW	G640T50N-PV-ES2	0.7	50000.000
GSW	G640T50P-PV-ES2	0.7	50000.000
GSW	G650S40N-PV-ES2	0.7	40000.000
GSW	G650S40P-PV-ES2	0.7	40000.000
GSW	G650S62N-PV-ES2	0.7	62000.000
GSW	G650S62P-PV-ES2	0.7	62000.000
GSW	G650T45N-PDV-ES2 200	0.7	45000.000
GSW	G650T45N-PDV-ES2 30*	0.7	45000.000
GSW	G650T45N-PDVR-ES2 30*	0.7	45000.000
GSW	G650T45P-PDV-ES2 201	0.7	45000.000
GSW	G650T50N-PV-ES2	0.7	50000.000
GSW	G650T50P-PV-ES2	0.7	50000.000
GSW	G650T58N-PDV-ES2 200	0.71	62000.000
GSW	G650T62N-PDV-ES2 30*	0.71	62000.000
GSW	G650T62N-PDVR-ES2 30*	0.71	62000.000
GSW	G650T62P-PDV-ES2 201	0.71	62000.000
GSW	G6C-PDT5062NV	0.71	62000.000
GSW	G840S40N-PDV-ES2 30*	0.71	40000.000
GSW	G850T45N-PDV-ES2 30*	0.7	45000.000
GSW	G850T62N-PDV-ES2 30*	0.71	62000.000
JETGLAS	RG1PV40S*X19	266.958	40000.000
JETGLAS	RG1PV50S*X19	264.770	40000.000
JETGLAS	RG2PV40S*X19	252.735	40000.000
JETGLAS	RG2PV40T*X19	256.018	40000.000
JETGLAS	RG2PV50H*N	234.136	65000.000
JETGLAS	RG2PV50H*X	234.136	58000.000
JETGLAS	RG2PV50S*N	245.077	40000.000
JETGLAS	RG2PV50S*X19	253.829	40000.000
JETGLAS	RG2PV50T*X19	252.735	40000.000
JETGLAS	URG2PDV50H*N	240.700	50000.000
John Wood	PDV40N 30*	0.71	40000.000
John Wood	PDV50HIN	0.71	62000.000
John Wood	PDV50HIN 30*	0.71	62000.000
John Wood	PDV50HIP	0.71	62000.000
John Wood	PDV50N	0.7	45000.000
John Wood	PDV50N 30*	0.7	45000.000
John Wood	PDV50P	0.7	45000.000
John Wood	PV40N	0.7	40000.000
John Wood	PV40P	0.7	40000.000

Manufacturer	Model Name	Energy Factor	Input Rate (kBtu/hr)
John Wood	PV40TN	0.7	50000.000
John Wood	PV40TP	0.7	50000.000
John Wood	PV50HIN	0.7	62000.000
John Wood	PV50HIP	0.7	62000.000
John Wood	PV50N	0.7	40000.000
John Wood	PV50P	0.7	40000.000
John Wood	PV50TN	0.7	50000.000
John Wood	PV50TP	0.7	50000.000
Kenmore	409.734230	0.7	40000.000
Kenmore	409.734240	0.7	40000.000
Kenmore	409.734270	0.7	50000.000
Lochinvar	PVL04040 2*1	180.525	40000.000
RELIANCE WATER HEATERS	6-40-YBVIS 2**	180.525	40000.000
Rheem	12CG50-36PE2	268.053	36000.000
Rheem	6CG50-36PE2	268.053	36000.000
Rheem	9CG50-36PE2	268.053	36000.000
Rheem	CNRHE40SP	223.195	36000.000
Rheem	CNRHE50P	231.947	36000.000
Rheem	PRO+G29-60N RH70 ID	234.136	60000.000
Rheem	PRO+G38-40N RH69 PD	240.700	40000.000
Rheem	PROG40-40N RH67 PV	245.077	40000.000
Rheem	PRO+G40S-32P CN67 PV	187.090	32000.000
Rheem	PROG40S-32P CN67 PV	187.090	32000.000
Rheem	PROG40S-32P RH67 PV	187.090	32000.000
Rheem	PRO+G40S-36P CN67 PD	187.090	36000.000
Rheem	PROG40S-36P CN67 PD	187.090	36000.000
Rheem	PRO+G40T-36P CN69 PD	264.770	36000.000
Rheem	PROG40T-36P CN69 PD	264.770	36000.000
Rheem	PROG50-38U RH67 PV	245.077	38000.000
Rheem	PRO+G50-40N RH67 PD	245.077	40000.000
Rheem	PROG50-40N RH67 PDV	245.077	40000.000
Rheem	PROG50-42N RH67 PV	245.077	42000.000
Rheem	PRO+G50-50N RH67 PD	245.077	50000.000
Rheem	PRO+G50S-32P CN67 PV	264.770	32000.000
Rheem	PROG50S-32P CN67 PV	264.770	32000.000
Rheem	PROG50S-36N RH67 PV	245.077	36000.000
Rheem	PRO+G50S-36P CN67 PD	268.053	36000.000
Rheem	PROG50S-36P CN67 PD	268.053	36000.000
Rheem	PRO+G50S-40N RH67 PD	245.077	40000.000
Rheem	PRO+G50T-36P CN67 PD	268.053	36000.000
Rheem	PROG50T-36P CN67 PD	268.053	36000.000
Rheem	PRO+G50T-40P CN67 PDV	268.053	40000.000
Rheem	PROG50T-40P CN67 PDV	268.053	40000.000
Rheem	RHE40S	204.595	40000.000
Rheem	RHE40SP	224.289	36000.000
Rheem	RHE50	204.595	40000.000
Rheem	RHE50P	224.289	36000.000
Rheem	XG40S12DM40U0	245.077	40000.000
Rheem	XG40T06PV40U0	245.077	40000.000
Rheem	XG40T12DM40U0	240.700	40000.000
Rheem	XG50S12DM40U0	245.077	40000.000

Manufacturer	Model Name	Energy Factor	Input Rate (kBtu/hr)
Rheem	XG50T06PV42U0	245.077	42000.000
Rheem	XG50T12DM40U0	245.077	40000.000
Rheem	XP40S06PV32U0	187.090	32000.000
Richmond	12CG40-36PE2	264.770	36000.000
Richmond	12CG40S-36PE2	187.090	36000.000
Richmond	12CG50S-36PE2	268.053	36000.000
Richmond	12G30-60	234.136	60000.000
Richmond	12G40-40E2	240.700	40000.000
Richmond	12G40S-40E2	245.077	40000.000
Richmond	12G50S-40E2	245.077	40000.000
Richmond	6CG40-36PE2	264.770	36000.000
Richmond	6CG40PV32PE2	187.090	32000.000
Richmond	6CG40S-36PE2	187.090	36000.000
Richmond	6CG50PV32PE2	264.770	32000.000
Richmond	6CG50S-36PE2	268.053	36000.000
Richmond	6G30-60	234.136	60000.000
Richmond	6G40-40E2	240.700	40000.000
Richmond	6G40S-40E2	245.077	40000.000
Richmond	6G50-40E2	245.077	40000.000
Richmond	6G50PDV-40	245.077	40000.000
Richmond	6G50PV-38FN	245.077	38000.000
Richmond	6G50S-40E2	245.077	40000.000
Richmond	6GR40PVE2-40	245.077	40000.000
Richmond	6GR40SPVE2-32P	187.090	32000.000
Richmond	6GR50PVE2-42	245.077	42000.000
Richmond	6GR50SPVE2-36	245.077	36000.000
Richmond	6RHE40S	204.595	40000.000
Richmond	6RHE40SP	224.289	36000.000
Richmond	6RHE50	204.595	40000.000
Richmond	6RHE50P	224.289	36000.000
Richmond	9CG40-36PE2	264.770	36000.000
Richmond	9CG40S-36PE2	187.090	36000.000
Richmond	9CG50S-36PE2	268.053	36000.000
Richmond	9G40-40E2	240.700	40000.000
Richmond	9G40S-40E2	245.077	40000.000
Richmond	9G50-40E2	245.077	40000.000
Richmond	9G50S-40E2	245.077	40000.000
Ruud	PHE40SP	224.289	36000.000
Ruud	PHE50	204.595	40000.000
Ruud	PHE50P	224.289	36000.000
Ruud	PRO+G29-60N RU70 ID	234.136	60000.000
Ruud	PRO+G38-40N RU69 PD	240.700	40000.000
Ruud	PROG40-40N RU67 PV	245.077	40000.000
Ruud	PROG40S-32P RU67 PV	187.090	32000.000
Ruud	PROG50-38U RU67 PV	245.077	38000.000
Ruud	PRO+G50-40N RU67 PD	245.077	40000.000
Ruud	PROG50-40N RU67 PDV	245.077	40000.000
Ruud	PROG50-42N RU67 PV	245.077	42000.000
Ruud	PRO+G50-50N RU67 PD	245.077	50000.000
Ruud	PROG50S-36N RU67 PV	245.077	36000.000
Ruud	PRO+G50S-40N RU67 PD	245.077	40000.000

Manufacturer	Model Name	Energy Factor	Input Rate (kBtu/hr)
State	GS6-40-YBVIS 2**	180.525	40000.000